

ALUMINIUM FLEXIBLE “SEE-THRU” P.V.C SWING DOORS



Aluminium Flexible Swing Door Selection Guide

Type	Application	Maximum Size	Door Panels
Medium Duty	Pedestrian & non-motorised	2800mm H x 2400mm W	5mm Thick
Heavy Duty	Light Industrial & hand truck vehicles	2800mm H x 2400mm W	7mm Thick
Note: single doors are available in both medium and heavy duty types			



Completely clear or with unrestricted views

Aluminium Flexible "See-Thru" P.V.C. Swing Doors are clearly the best flexible solution for pedestrian traffic and light non-motorised vehicles.

These doors can be installed in industrial and commercial applications where dust, drafts and noise may be an issue.

Made from an anodised aluminium frame that pivots in both directions and complete with variable tension return spring. (Stay open magnets are available as an optional extra).

Doors are generally installed under lintel (as shown) or side mounted as an option.

In addition, we can manufacture the Aluminium Flexible "See-Thru" P.V.C. Swing Door panels with either black or grey P.V.C. in lieu of conventional clear or opaque finish.

These Aluminium Flexible "See-Thru" P.V.C. Swing Doors are suitable for food manufacturing plants, hospitals, supermarkets, meat works and specialty retail stores.



Side mount spring



Lintel mount spring

Aluminium ‘See-Thru’ Spare Parts




TOP HINGE MOUNT SIDE FIX



TOP LINTEL MOUNT SPRING



LEFT/RIGHT HINGE COVERS



ALUMINIUM GUSSET/STEEL GUSSET



HOLD OPEN MAGNET



TOP SEAL



SIDE SEAL



COMPLETE BOTTOM PIVOT




BOTTOM PIVOT MOUNT



END CAP



TEE NUTS (MALE & FEMALE)



ALUMINIUM DOOR PROFILE